

## XRCC3 (X-ray repair complementing defective repair in Chinese hamster cells 3)

### Identity

Hugo [XRCC3](#)

Location 14q32.3

### DNA/RNA

Description 17 800 bp, 9 exons

Transcription 2,504 bp

### Protein

Description 346 amino acids

Function XRCC3 is required for efficient repair of double strand breaks via homologous recombinational repair ([link](#)), for correct chromosomal segregation and for repair of DNA cross links. Inactivation of XRCC3 in CHO cells results in increased radiation and cisplatin sensitivity. In human cells, XRCC3 forms a complex with [Rad51C](#) which is recruited early to DNA damage. Inactivation of XRCC3 in human cells leads to a two-fold sensitivity to DNA cross-linking agents, impaired Rad51 focus formation, elevated chromosome aberrations and five to seven-fold increased endoreduplication.

Homology XRCC3 is a paralog to [rad51](#)

### Implicated in

Entity No human disease has been linked to inactivation of XRCC3. However, polymorphisms in XRCC3 may be associated with increased cancer risk (see below).

Note Genetic Epidemiology:  
The most frequent polymorphism in XRCC3 is XRCC3 C18067T which results in a Thr to Met amino acid substitution at codon 241. Carriers of the variant T-allele of XRCC3 T241M have higher DNA adduct levels in lymphocyte DNA compared to homozygous C-allele carriers, indicating that the polymorphism is associated with lowered DNA repair capacity. The variant allele of XRCC3 T241M polymorphism has been associated with increased risk of [squamous cell carcinoma of the head and neck](#) in one study while another study found no association. No association has previously been found with [colon cancer](#), non-melanoma skin cancer, prostate cancer, gastric cancer, [ovarian cancer](#). Conflicting results have been published on the association with [breast cancer](#), bladder cancer, malignant melanoma and [lung cancer](#).

Two frequent SNP are upstream of XRCC3 T241M have also been studied, namely XRCC3 A4541G and XRCC3 A17897G. Neither polymorphism gives rise to amino acid changes. The variant allele of A17897G has been associated with decreased risk of breast cancer and ovarian cancer. The same tendency, but no significant associations was found for lung cancer.

XRCC3 A4541G was not associated to risk of breast cancer or lung cancer. However, homozygote carriers of the variant allele had lower risk of serous epithelial ovarian cancer.

## External links

### Nomenclature

<a href="#">Hugo</a>	<a href="#">XRCC3</a>
<a href="#">GDB</a>	<a href="#">XRCC3</a>
<a href="#">Entrez_Gene</a>	<a href="#">XRCC3 7517</a> X-ray repair complementing defective repair in Chinese hamster cells 3

### Cards

<a href="#">Atlas</a>	<a href="#">XRCC3ID335ch14q32</a>
<a href="#">GeneCards</a>	<a href="#">XRCC3</a>
<a href="#">Ensembl</a>	<a href="#">XRCC3</a>
<a href="#">Genatlas</a>	<a href="#">XRCC3</a>
<a href="#">GeneLynx</a>	<a href="#">XRCC3</a>
<a href="#">eGenome</a>	<a href="#">XRCC3</a>
<a href="#">euGene</a>	<a href="#">7517</a>

### Genomic and cartography

<a href="#">GoldenPath</a>	<a href="#">XRCC3 - 14q32.3</a> <a href="#">chr14:103233708-103251549 - 14q32.33</a> (hg18-Mar_2006)
<a href="#">Ensembl</a>	<a href="#">XRCC3 - 14q32.33 [CytoView]</a>
<a href="#">NCBI</a>	<a href="#">Genes Cyto</a> <a href="#">Gene Seq</a> [Map View - NCBI]
<a href="#">OMIM</a>	<a href="#">Disease map [OMIM]</a>
<a href="#">HomoloGene</a>	<a href="#">XRCC3</a>

### Gene and transcription

<a href="#">Genbank</a>	<a href="#">AF035586</a> [ENTREZ]
<a href="#">Genbank</a>	<a href="#">AK022829</a> [ENTREZ]
<a href="#">Genbank</a>	<a href="#">AK023646</a> [ENTREZ]
<a href="#">Genbank</a>	<a href="#">AK124498</a> [ENTREZ]
<a href="#">Genbank</a>	<a href="#">AK126706</a> [ENTREZ]
<a href="#">RefSeq</a>	<a href="#">NM_005432</a> [SRS] <a href="#">NM_005432</a> [ENTREZ]
<a href="#">AceView</a>	<a href="#">XRCC3</a> AceView - NCBI
<a href="#">TRASER</a>	<a href="#">XRCC3</a> Traser - Stanford

<a href="#">Unigene</a>	<a href="#">Hs.592325</a> [ SRS ] <a href="#">Hs.592325</a> [ NCBI ] <a href="#">HS592325</a> [ spliceNest ]
<b>Protein : pattern, domain, 3D structure</b>	
<a href="#">SwissProt</a>	<a href="#">O43542</a> [ SRS ] <a href="#">O43542</a> [ EXPASY ] <a href="#">O43542</a> [ INTERPRO ]
<a href="#">Prosite</a>	<a href="#">PS50162 RECA_2</a> [ SRS ] <a href="#">PS50162 RECA_2</a> [ Expasy ]
<a href="#">Interpro</a>	<a href="#">IPR013632 Rad51_C</a> [ SRS ] <a href="#">IPR013632 Rad51_C</a> [ EBI ]
<a href="#">Interpro</a>	<a href="#">IPR001553 RecA_bac</a> [ SRS ] <a href="#">IPR001553 RecA_bac</a> [ EBI ]
<a href="#">CluSTr</a>	<a href="#">O43542</a>
<a href="#">Pfam</a>	<a href="#">PF08423 Rad51</a> [ SRS ] <a href="#">PF08423 Rad51</a> [ Sanger ] <a href="#">pfam08423</a> [ NCBI-CDD ]
<a href="#">Prodom</a>	<a href="#">PD000229 RecA</a> [INRA-Toulouse]
<a href="#">Prodom</a>	<a href="#">O43542 XRCC3_HUMAN</a> [ Domain structure ] <a href="#">O43542 XRCC3_HUMAN</a> [ sequences sharing at least 1 domain ]
<a href="#">Blocks</a>	<a href="#">O43542</a>
<a href="#">HPRD</a>	<a href="#">O43542</a>
<b>Protein Interaction databases</b>	
<a href="#">DIP</a>	<a href="#">O43542</a>
<a href="#">IntAct</a>	<a href="#">O43542</a>
<b>Polymorphism : SNP, mutations, diseases</b>	
<a href="#">OMIM</a>	<a href="#">600675</a> [ <a href="#">map</a> ]
<a href="#">GENECLINICS</a>	<a href="#">600675</a>
<a href="#">SNP</a>	<a href="#">XRCC3</a> [dbSNP-NCBI]
<a href="#">SNP</a>	<a href="#">NM_005432</a> [SNP-NCI]
<a href="#">SNP</a>	<a href="#">XRCC3</a> [GeneSNPs - Utah] <a href="#">XRCC3</a> [HGBASE - SRS]
<a href="#">HAPMAP</a>	<a href="#">XRCC3</a> [HAPMAP]
<b>General knowledge</b>	
<a href="#">Family Browser</a>	<a href="#">XRCC3</a> [UCSC Family Browser]
<a href="#">SOURCE</a>	<a href="#">NM_005432</a>
<a href="#">SMD</a>	<a href="#">Hs.592325</a>
<a href="#">SAGE</a>	<a href="#">Hs.592325</a>
<a href="#">Amigo</a>	<a href="#">nucleotide binding</a>
<a href="#">Amigo</a>	<a href="#">DNA binding</a>
<a href="#">Amigo</a>	<a href="#">nucleus</a>
<a href="#">Amigo</a>	<a href="#">DNA repair</a>
<a href="#">Amigo</a>	<a href="#">DNA recombination</a>
<a href="#">Amigo</a>	<a href="#">DNA-dependent ATPase activity</a>
<a href="#">PubGene</a>	<a href="#">XRCC3</a>
<b>Other databases</b>	
<b>Probes</b>	

[Probe](#) [XRCC3 Related clones \(RZPD - Berlin\)](#)

[PubMed](#)

[PubMed](#) [32 Pubmed reference\(s\) in LocusLink](#)

## **Bibliography**

**XRCC2 and XRCC3, new human Rad51-family members, promote chromosome stability and protect against DNA cross-links and other damages.**

Liu N, Lamerdin JE, Tebbs RS, Schild D, Tucker JD, Shen MR, Brookman KW, Siciliano MJ, Walter CA, Fan W, Narayana LS, Zhou ZQ, Adamson AW, Sorensen KJ, Chen DJ, Jones NJ, Thompson LH.

Mol Cell 1998; 1(6): 783-793.

Medline [9660962](#)

**Mammalian recombination-repair genes XRCC2 and XRCC3 promote correct chromosome segregation.**

Griffin CS, Simpson PJ, Wilson CR, Thacker J.

Nat Cell Biol 2000; 2(10): 757-761.

Medline [11025669](#)

**A variant within the DNA repair gene XRCC3 is associated with the development of melanoma skin cancer.**

Winsey SL, Haldar NA, Marsh HP, Bunce M, Marshall SE, Harris AL, Wojnarowska F, Welsh KI.

Cancer Res 2000; 60(20): 5612-5616.

Medline [11059748](#)

**No Association between the XPD (Lys751G1n) Polymorphism or the XRCC3 (Thr241Met) Polymorphism and Lung Cancer Risk.**

David-Beabes GL, Lunn RM, London SJ.

Cancer Epidemiol Biomarkers Prev 2001; 10(8): 911-912.

Medline [11489761](#)

**DNA repair gene polymorphisms, bulky DNA adducts in white blood cells and bladder cancer in a case-control study.**

Matullo G, Guarrera S, Carturan S, Peluso M, Malaveille C, Davico L, Piazza A, Vineis P.

Int J Cancer 2001a; 92(4): 562-567.

Medline [11304692](#)

**XRCC1, XRCC3, XPD gene polymorphisms, smoking and (32)P-DNA adducts in a sample of healthy subjects.**

Matullo G, Palli D, Peluso M, Guarrera S, Carturan S, Celentano E, Krogh V, Munnia A, Tumino R, Polidoro S, Piazza A, Vineis P.

Carcinogenesis 2001b; 22(9): 1437-1445.

Medline [11532866](#)

**DNA repair gene XRCC3 241Met variant is not associated with risk of cutaneous malignant melanoma.**

Duan Z, Shen H, Lee JE, Gershenwald JE, Ross MI, Mansfield PF, Duvic M, Strom SS, Spitz MR, Wei Q.

Cancer Epidemiol Biomarkers Prev 2002, 11(10 Pt 1): 1142-1143.

Medline [12376526](#)

**Variants in DNA double-strand break repair genes and breast cancer susceptibility.**

Kuschel B, Auranen A, McBride S, Novik KL, Antoniou A, Lipscombe JM, Day NE, Easton DF, Ponder BA, Pharoah PD, Dunning A.

Hum Mol Genet 2002; 11(12): 1399-1407.

Medline [12023982](#)

**A variant of the DNA repair gene XRCC3 and risk of squamous cell carcinoma of the head and neck: a case-control analysis.**

Shen H, Sturgis EM, Dahlstrom KR, Zheng Y, Spitz MR, Wei Q.

Int J Cancer 2002; 99(6): 869-872.

Medline [12115490](#)

**DNA repair gene XRCC3 codon 241 polymorphism, its interaction with smoking and XRCC1 polymorphisms, and bladder cancer risk.**

Stern MC, Umbach DM, Lunn RM, Taylor JA.

Cancer Epidemiol Biomarkers Prev 2002; 11(9): 939-943.

Medline [12223443](#)

**Polymorphisms in DNA double strand break repair genes and breast cancer risk in the nurses' health study.**

Han J, Hankinson SE, Ranu H, De V, I, Hunter DJ.

Carcinogenesis 2004; 25(2): 189-195.

Medline [14578164](#)

**No association between the DNA repair gene XRCC3 T241M polymorphism and risk of skin cancer and breast cancer.**

Jacobsen NR, Nexø BA, Olsen A, Overvad K, Wallin H, Tjønneland A, Vogel U.

Cancer Epidemiol Biomarkers Prev 2003; 12(6): 584-585.

Medline [12815008](#)

**Lack of involvement of nucleotide excision repair gene polymorphisms in colorectal cancer.**

Mort R, Mo L, McEwan C, Melton DW.

Br J Cancer 2003; 89(2): 333-337.

Medline [12865926](#)

**Polymorphisms in DNA repair and metabolic genes in bladder cancer.**

Sanyal S, Festa F, Sakano S, Zhang Z, Steineck G, Norming U, Wijkstrom H,

Larsson P, Kumar R, Hemminki K.  
Carcinogenesis 2004; 25(5): 729-734.  
Medline [14688016](#)

**Polymorphisms of the DNA repair genes XRCC1, XRCC3, XPD, interaction with environmental exposures, and bladder cancer risk in a case-control study in northern Italy.**

Shen M, Hung RJ, Brennan P, Malaveille C, Donato F, Placidi D, Carta A, Hautefeuille A, Boffetta P, Porru S.  
Cancer Epidemiol Biomarkers Prev 2003; 12(11 Pt 1): 1234-1240.  
Medline [14652287](#)

**Polymorphisms of XRCC1 and XRCC3 genes and susceptibility to breast cancer.**

Smith TR, Miller MS, Lohman K, Lange EM, Case LD, Mohrenweiser HW, Hu JJ.  
Cancer Lett 2003; 190(2): 183-190.  
Medline [12565173](#)

**Xrcc3 is recruited to DNA double strand breaks early and independent of Rad51.**

Forget AL, Bennett BT, Knight KL.  
J Cell Biochem 2004; 93(3): 429-436.  
Medline [15372620](#)

**XRCC3 polymorphisms and risk of lung cancer.**

Jacobsen NR, Raaschou-Nielsen O, Nexø B, Wallin H, Overvad K, Tjønneland A, Vogel U.  
Cancer Lett 2004; 213(1): 67-72.  
Medline [15312685](#)

**Specific combinations of DNA repair gene variants and increased risk for non-small cell lung cancer.**

Popanda O, Schattenberg T, Phong CT, Butkiewicz D, Risch A, Edler L, Kayser K, Dienemann H, Schulz V, Drings P, Bartsch H, Schmezer P.  
Carcinogenesis 2004; 25(12): 2433-2441.  
Medline [15333465](#)

**XRCC3 deficiency results in a defect in recombination and increased endoreduplication in human cells.**

Yoshihara T, Ishida M, Kinomura A, Katsura M, Tsuruga T, Tashiro S, Asahara T, Miyagawa K.  
EMBO J 2004; 23(3): 670-680.  
Medline [14749735](#)

**Polymorphisms in DNA repair genes and epithelial ovarian cancer risk.**

Auranen A, Song H, Waterfall C, Dicioccio RA, Kuschel B, Kjaer SK, Hogdall E,

Hogdall C, Stratton J, Whittemore AS, Easton DF, Ponder BA, Novik KL, Dunning AM, Gayther S, Pharoah PD.  
Int J Cancer 2005; 117(4): 611-618.  
Medline [15924337](#)

**Basal cell carcinoma and variants in genes coding for immune response, DNA repair, folate and iron metabolism.**

Festa F, Kumar R, Sanyal S, Uden B, Nordfors L, Lindholm B, Snellman E, Schalling M, Forsti A, Hemminki K.  
Mutat Res 2005; 574(1-2): 105-111.  
Medline [15914210](#)

**Selected DNA repair polymorphisms and gastric cancer in Poland.**

Huang WY, Chow WH, Rothman N, Lissowska J, Llaca V, Yeager M, Zatonski W, Hayes RB.  
Carcinogenesis 2005a; 26(8):1354-1359.  
Medline [15802298](#)

**Selected genetic polymorphisms in MGMT, XRCC1, XPD, and XRCC3 and risk of head and neck cancer: a pooled analysis.**

Huang WY, Olshan AF, Schwartz SM, Berndt SI, Chen C, Llaca V, Chanock SJ, Fraumeni JF, Jr., Hayes RB.  
Cancer Epidemiol Biomarkers Prev 2005b; 14(7): 1747-1753.  
Medline [16030112](#)

**A comparison of response to cisplatin, radiation and combined treatment for cells deficient in recombination repair pathways.**

Raaphorst GP, Leblanc M, Li LF.  
Anticancer Res 2005; 25(1A): 53-58.  
Medline [15816518](#)

**Genetic variants of DNA repair genes and prostate cancer: a population-based study.**

Ritchey JD, Huang WY, Chokkalingam AP, Gao YT, Deng J, Levine P, Stanczyk FZ, Hsing AW.  
Cancer Epidemiol Biomarkers Prev 2005; 14(7): 1703-1709.  
Medline [16030105](#)

**Double-strand break repair gene polymorphisms and risk of breast or ovarian cancer.**

Webb PM, Hopper JL, Newman B, Chen X, Kelemen L, Giles GG, Southey MC, Chenevix-Trench G, Spurdle AB.  
Cancer Epidemiol Biomarkers Prev 2005; 14(2): 319-323.  
Medline [15734952](#)

**Polymorphisms of the XRCC1, XRCC3, & XPD genes, and colorectal cancer**

**risk: a case-control study in Taiwan.**

Yeh CC, Sung FC, Tang R, Chang-Chieh CR, Hsieh LL.  
BMC Cancer 2005; 5(1): 12.

Medline [15679883](#)

[REVIEW articles](#)      *automatic search in PubMed*

[Last year publications](#)      *automatic search in PubMed*

[BiblioGene - INIST](#)

**Contributor(s)**

Written      11-      Ulla Vogel  
                 2005

**Citation**

*This paper should be referenced as such :*

**Vogel U** . XRCC3 (X-ray repair complementing defective repair in Chinese hamster cells 3). Atlas Genet Cytogenet Oncol Haematol. November 2005 .

URL : <http://AtlasGeneticsOncology.org/Genes/XRCC3ID335ch14q32.html>

© Atlas of Genetics and Cytogenetics in Oncology and Haematology

---